

## CLAIMS

What is claimed is:

2014

1 1. A method comprising:

2 parsing a data processing statement;

3 identifying table field or fields referenced in said data processing statement,

4 including whether an aggregation operation is to be performed on row values of

5 each of the identified table fields;

6 for each identified table field, determining whether the table field is a looked-

7 up field;

8 identifying a basis table of which non-looked up ones of said identified table

9 field or fields are members;

10 identifying one or more target tables from which said looked-up one or ones

11 of said identified table field or fields are to be looked up; and

12 generating a SQL statement, including with said generated SQL statement a

13 FROM clause having a subquery creating a grouped derivative table comprising

14 grouped non-looked-up table fields and aggregated table fields, and one or more

15 JOIN clauses joining the corresponding one or more target tables to the grouped

16 derivative table, if the data processing statement is determined to contain first one

17 or more table fields to have aggregation operations performed on their row values.

18

1 2. The method of claim 1, wherein said determining of whether a table field is a

2 looked-up field comprises determining whether the table field is a multi-part table

3 field including at least a first part corresponding to a look-up field, and a second part

4 corresponding to a field to be looked up, concatenated with said first part in a  
5 predetermined manner.

1 3. The method of claim 2, wherein said determining of whether a table field is a  
2 looked-up field further comprises upon determining that the table field is a multi-part  
3 table field, determining whether the second part is a look-up field, with a third part  
4 corresponding to a looked up field concatenated with said second part in a  
5 predetermined manner.

1 4. The method of claim 2, wherein said second part corresponding to a field to  
2 be looked up, is concatenated with said first part corresponding to a look-up field,  
3 employing one or more predetermined special characters.

1 5. The method of claim 4, wherein said conditional generating of a SQL  
2 statement, when performed, comprises generating said subquery in a form of a  
3 SELECT statement enumerating identified table fields of said basis table, including  
4 the aggregation functions to be performed on applicable ones of the identified table  
5 fields, including with said SELECT statement a first FROM clause enumerating said  
6 basis table, and a GROUP BY clause enumerating again said enumerated table  
7 field or fields of the basis table that have not been identified as having aggregation  
8 functions to be performed.

1 6. The method of claim 5, wherein said conditional generating of a SQL  
2 statement, when performed, further comprises enumerating field or fields to be  
3 selected from said grouped derivative table and said one or more target tables, a  
4 second FROM clause enumerating said subquery, an AS clause enumerating an

5 identifier of the grouped derivative table, and said one or more JOIN clauses  
6 respectively joining said grouped derivative table and said one or more target tables.

1 7. The method of claim 1, wherein said aggregation function is a selected one of  
2 a counting function (COUNT), a minimum value identification function (MIN), a  
3 maximum value identification function (MAX), an average value computing function  
4 (AVG) and a value summation function (SUM).

1 8. The method of claim 1, wherein said SQL statement is a selected one of a  
2 SELECT, an INSERT, an UPDATE and a DELETE statement.

2007-06-12  
1 9. A method comprising:  
2 presenting a first plurality of fields of a first table for selection for use in a data  
3 processing operation;  
4 receiving a selection of a first field that is a member of said first fields;  
5 determining whether said selected first field is a first designated look-up field  
6 for looking up first one or more of a second plurality of fields of a second table;  
7 presenting said second plurality of fields for selection for use in said data  
8 processing operation, if it is determined that that said selected first field is a first  
9 designated look-up field for looking up first one or more of said second plurality of  
10 fields of said second table;  
11 receiving a request to perform an aggregation function on a selected one of  
12 said first and second plurality of fields; and  
13 presenting a plurality of aggregation functions for selection.

1 10. The method of claim 9, wherein each of said second plurality of fields is  
2 presented in a multi-part form, including a first part, said first look-up field, and a  
3 second part, a corresponding one of the second one or more fields to be looked up,  
4 concatenated with said first part in a predetermined manner.

1 11. The method of claim 9, wherein said method further comprises  
2 receiving a selection of a second field that is a member of said second fields;  
3 determining whether said selected second field is a second designated look-  
4 up field for looking up second one or more of a third plurality of fields of a third table;  
5 and

6 presenting said third plurality of fields for selection if it is determined that said  
7 selected second field is a second designated look-up field for looking up second one  
8 or more of said third plurality of fields of said third table.

1 12. The method of claim 11, wherein  
2 each of said second plurality of fields is presented in a multi-part form,  
3 including a first part, said first look-up field, and a second part, a corresponding one  
4 of said first one or more fields to be looked up, concatenated with said first part in a  
5 predetermined manner; and

6 each of said third plurality of fields is presented in a multi-part form, including  
7 said first and second parts, and a third part, a corresponding one of said second one  
8 or more fields to be looked up, concatenated with said second part in a  
9 predetermined manner.

1 13. The method of claim 10, wherein said second part, a corresponding one of  
2 said first one or more fields to be looked up, is concatenated with said first part, said  
3 first look-up field, employing one or more predetermined special characters.

1 14. The method of claim 9, wherein the method further comprises generating a  
2 SQL statement, including with said generated SQL statement a FROM clause  
3 having a subquery creating a grouped derivative table comprising grouped non-  
4 looked-up fields and aggregated fields, and one or more JOIN clauses joining  
5 corresponding one or more target tables of one or more looked-up fields to the  
6 grouped derivative table, if one or more selected fields are to have aggregation  
7 operations performed on their row values.

1 15. The method of claim 14, wherein said conditional generating of a SQL  
2 statement, when performed, comprises generating said subquery in a form of a  
3 SELECT statement enumerating selected fields of said basis table, including the  
4 aggregation functions to be performed on applicable ones of the selected fields,  
5 including with said SELECT statement a first FROM clause enumerating said basis  
6 table, and a GROUP BY clause enumerating again said enumerated selected field  
7 or fields of the basis table that have not have aggregation functions selected for  
8 performance on their row values.

1 16. The method of claim 15, wherein said conditional generating of a SQL  
2 statement, when performed, further comprises enumerating selected field or fields to  
3 be selected from said grouped derivative table and said one or more target tables, a  
4 second FROM clause enumerating said subquery, an AS clause enumerating an

5 identifier of the grouped derivative table, and said one or more JOIN clauses  
6 respectively joining said grouped derivative table and said one or more target tables.

1 17. The method of claim 15, wherein said aggregation function is a selected one  
2 of a counting function (COUNT), a minimum value identification function (MIN), a  
3 maximum value identification function (MAX), an average value computing function  
4 (AVG) and a value summation function (SUM).

1 18. The method of claim 15, wherein said SQL statement is a selected one of a  
2 SELECT, an INSERT, an UPDATE and a DELETE statement.

1 19. The method of claim 9, wherein the method further comprises  
2 specifying said first plurality of fields of said first table; and  
3 designating one or more of said specified first fields as look-up fields; and  
4 specifying target tables for said designated look-up fields.

1 20. An apparatus comprising:  
2 storage medium having stored therein programming instructions, when  
3 executed, operate the apparatus to  
4 parse a data processing statement,  
5 identify table field or fields referenced in said data processing statement,  
6 including whether an aggregation operation is to be performed on row  
7 values of each of the identified table fields,  
8 determine, for each identified table field, whether the table field is a  
9 looked-up field,

10 identify a basis table of which non-looked up ones of said identified table  
11 field or fields are members,  
12 identify one or more target tables from which said looked-up one or ones  
13 of said identified table field or fields are to be looked up, and  
14 generate a SQL statement, including with said generated SQL statement  
15 a FROM clause having a subquery creating a grouped derivative table  
16 comprising grouped table fields and aggregated table fields, and one  
17 or more JOIN clauses joining the corresponding one or more target  
18 tables to the grouped derivative table, if the data processing statement  
19 is determined to contain first one or more table fields to have  
20 aggregation operations performed on their row values; and  
21 one or more processors coupled to the storage medium to execute the  
22 programming instructions.

1 21. The apparatus of claim 20, wherein said programming instructions, when  
2 executed, enable the apparatus to determine whether a table field is a looked-up  
3 field by determining whether the table field is a multi-part table field including at least  
4 a first part corresponding to a look-up field, and a second part corresponding to a  
5 field to be looked up, concatenated with said first part in a predetermined manner.

1 22. The apparatus of claim 21, wherein said programming instructions, when  
2 executed, enable the apparatus to, upon determining that the table field is a multi-  
3 part table field, determine whether the second part is also a look-up field, with a third  
4 part corresponding to a looked up field concatenated with said second part in a  
5 predetermined manner.

1 23. The apparatus of claim 22, wherein said second part corresponding to a field  
2 to be looked up, is concatenated with said first part corresponding to a look-up field,  
3 employing one or more predetermined special characters.

1 24. The apparatus of claim 20, wherein said programming instructions, when  
2 executed, enable the apparatus to perform said conditional generating of a SQL  
3 statement by generating said subquery in a form of a SELECT statement  
4 enumerating identified table fields of said basis table, including the aggregation  
5 functions to be performed on applicable ones of the identified table fields, including  
6 with said SELECT statement a first FROM clause enumerating said basis table, and  
7 a GROUP BY clause enumerating again said enumerated table field or fields of the  
8 basis table that have not been identified as having aggregation functions to be  
9 performed.

1 25. The apparatus of claim 24, wherein said programming instructions, when  
2 executed, further enable the apparatus to enumerate field or fields to be selected  
3 from said grouped derivative table and said one or more target tables, a second  
4 FROM clause enumerating said subquery, an AS clause enumerating an identifier of  
5 the grouped derivative table, and said one or more JOIN clauses respectively joining  
6 said grouped derivative table and said one or more target tables, to conditionally  
7 generate said SQL statement.

1 26. The apparatus of claim 20, wherein said aggregation function is a selected  
2 one of a counting function (COUNT), a minimum value identification function (MIN),  
3 a maximum value identification function (MAX), an average value computing  
4 function (AVG) and a value summation function (SUM).



1 27. The apparatus of claim 20, wherein said SQL statement is a selected one of  
2 a SELECT, an INSERT, an UPDATE and a DELETE statement.

1 28. An apparatus comprising:

2 storage medium having stored therein a plurality of programming instructions,  
3 when executed, operate the apparatus to

4 present a first plurality of fields of a first table for selection for use in a  
5 data processing operation,

6 receive a selection of a first field that is a member of said first fields,

7 determine whether said selected first field is a first designated look-up

8 field for looking up first one or more of a second plurality of fields of a  
9 second table,

10 present said second plurality of fields for selection for use in said data  
11 processing operation, if it is determined that that said selected first

12 field is a first designated look-up field for looking up first one or more  
13 of said second plurality of fields of said second table,

14 receive a request to perform an aggregation function on a selected one of  
15 said first and second plurality of fields, and

16 present a plurality of aggregation functions for selection; and

17 at least one processor coupled to the storage medium to execute the  
18 programming instructions.

1 29. The apparatus of claim 28, wherein said programming instructions, when  
2 executed, operate the apparatus to present each of said second plurality of fields in  
3 a multi-part form, including a first part, said first look-up field, and a second part, a

4 corresponding one of said first one or more fields to be looked up, concatenated  
5 with said first part in a predetermined manner.

1 30. The apparatus of claim 29, wherein said programming instructions, when  
2 executed, further operate the apparatus to  
3 receive a selection of a second field that is a member of said second fields;  
4 determine whether said selected second field is a second designated look-up  
5 field for looking up second one or more of a third plurality of fields of a third table;  
6 and  
7 present said third plurality of fields for selection if it is determined that said  
8 selected second field is a second designated look-up field for looking up second one  
9 or more of said third plurality of fields of said third table.

1 31. The apparatus of claim 30, wherein said programming instructions, when  
2 executed, operate the apparatus to present  
3 each of said second plurality of fields is presented in a multi-part form,  
4 including a first part, said first look-up field, and a second part, a corresponding one  
5 of said first one or more fields to be looked up, concatenated with said first part in a  
6 predetermined manner; and  
7 each of said third plurality of fields is presented in a multi-part form, including  
8 said first and second parts, and a third part, a corresponding one of said second one  
9 or more fields to be looked up, concatenated with said second part in a  
10 predetermined manner.

1 32. The apparatus of claim 29, wherein said second part, a corresponding one of  
2 said first one or more fields to be looked up, is concatenated with said first part, said  
3 look-up field, employing one or more predetermined special characters.

1 33. The apparatus of claim 28, wherein said programming instructions, when  
2 executed, further enable the apparatus to generating a SQL statement, including  
3 with said generated SQL statement a FROM clause having a subquery creating a  
4 grouped derivative table comprising grouped non-looked-up fields and aggregated  
5 fields, and one or more JOIN clauses joining corresponding one or more target  
6 tables of one or more looked-up fields to the grouped derivative table, if one or more  
7 selected fields are to have aggregation operations performed on their row values

1 34. The apparatus of claim 33, wherein the programming instructions, when  
2 executed, enable the apparatus to perform said conditional generation of a SQL  
3 statement by generating said subquery in a form of a SELECT statement  
4 enumerating selected fields of said basis table, including the aggregation functions  
5 to be performed on applicable ones of the selected fields, including with said  
6 SELECT statement a first FROM clause enumerating said basis table, and a  
7 GROUP BY clause enumerating again said enumerated selected field or fields of  
8 the basis table that have not have aggregation functions selected for performance  
9 on their row values.

1 35. The apparatus of claim 34, wherein the programming instructions, when  
2 executed, enable the apparatus to enumerate selected field or fields to be selected  
3 from said grouped derivative table and said one or more target tables, a second  
4 FROM clause enumerating said subquery, an AS clause enumerating an identifier of

5 the grouped derivative table, and said one or more JOIN clauses respectively joining  
6 said grouped derivative table and said one or more target tables.

1 36. The apparatus of claim 28, wherein said aggregation function is a selected  
2 one of a counting function (COUNT), a minimum value identification function (MIN),  
3 a maximum value identification function (MAX), an average value computing  
4 function (AVG) and a value summation function (SUM).

1 37. The apparatus of claim 28, wherein said SQL statement is a selected one of  
2 a SELECT, an INSERT, an UPDATE and a DELETE statement.

1 38. The apparatus of claim 28, wherein the programming instructions, when  
2 executed, further operate the apparatus to  
3 specify said first plurality of fields of said first table,  
4 designate one or more of said specified first fields as look-up fields, and  
5 specify target tables for said designated look-up fields.  
1